Analytical Laboratory

13339 Hagers Ferry Road
Huntersville, NC 28078-7929
McGuire Nuclear Complex - MG03A2
Phone: 980-875-5245 Fax: 980-875-4349

Order Summary Report

Order Number: **J12050374**

Project Name: N/A

Customer Name(s): Bill Kennedy, Melonie Martin, Wayne Chapman, Tom Johnson

Customer Address: 3195 Pine Hall Rd
Mailcode: Belews Steam Station
Belews Creek, NC 28012

Lab Contact: Jason C Perkins Phone: 980-875-5348

Report Authorized By: (Signature) Jay C Perkins Digitally signed by jay perkins DN: cn=jay perkins, o=Analytical Lab, ou, email=jay.perkins@duke-energy.com, c=US Date: 2012.06.07 13:04:10 -04'00' **Date:** 6/6/2012

Program Comments:

Please contact the Program Manager (Jason C Perkins) with any questions regarding this report.

Data Flags & Calculations:

Any analytical tests or individual analytes within a test flagged with a Qualifier indicate a deviation from the method quality system or quality control requirement. The qualifier description is found at the end of the Certificate of Analysis (sample results) under the qualifiers heading. All results are reported on a dry weight basis unless otherwise noted.

Data Package:

This data package includes analytical results that are applicable only to the samples described in this narrative. An estimation of the uncertainty of measurement for the results in the report is available upon request. This report shall not be reproduced, except in full, without the written consent of the Analytical Laboratory. Please contact the Analytical laboratory with any questions. The order of individual sections within this report is as follows:

Job Summary Report, Sample Identification, Technical Validation of Data Package, Analytical Laboratory Certificate of Analysis, Analytical Laboratory QC Reports, Sub-contracted Laboratory Results, Customer Specific Data Sheets, Reports & Documentation, Customer Database Entries, Test Case Narratives, Chain of Custody (COC)

Certification:

The Analytical Laboratory holds the following State Certifications : North Carolina (DENR) Certificate #248, South Carolina (DHEC) Laboratory ID # 99005. Contact the Analytical Laboratory for definitive information about the certification status of specific methods.

Sample ID's & Descriptions:

Sample ID	Plant/Station	Collection Date and Time	Collected By	Sample Description
2012011479	BELEWS	21-May-12 10:30 AM	TRAVIS THORNTON	FGD Purge Eff
2012011480	BELEWS	21-May-12 10:35 AM	TRAVIS THORNTON	EQ TANK EFF.
2012011481	BELEWS	21-May-12 10:40 AM	TRAVIS THORNTON	BIOREACTOR 1 INF
2012011482	BELEWS	21-May-12	TRAVIS THORNTON	biOREACTOR 1 INF HG BLK
2012011483	BELEWS	21-May-12 10:45 AM	TRAVIS THORNTON	BIOREACTOR 2 INF.
2012011484	BELEWS	21-May-12	TRAVIS THORNTON	BIOREACTOR 2 INF. HG BLANK
2012011485	BELEWS	21-May-12 10:50 AM	TRAVIS THORNTON	BIOREACTOR 2 EFF.
2012011486	BELEWS	21-May-12 10:50 AM	TRAVIS THORNTON	BIOREACTOR 2 EFF. HG BLANK
2012011487	BELEWS	21-May-12	TRAVIS THORNTON	FILTER BLANK
2012011488	BELEWS	21-May-12 10:55 AM	TRAVIS THORNTON	METALS TRIP BLANK

10 Total Samples

Technical Validation Review

Checklist:

COC and .pdf report are in agreement with sample totals and analyses (compliance programs and procedures).	☑ Yes	☐ No
All Results are less than the laboratory reporting limits.	☐ Yes	☑ No
All laboratory QA/QC requirements are acceptable.	☑ Yes	☐ No
The Vendor Laboratories have been qualified by the Analytical Laboratory	N/A	

Report Sections Included:

- ☑ Job Summary Report
- ☑ Sample Identification
- ☑ Technical Validation of Data Package
- ☑ Analytical Laboratory Certificate of Analysis
- ☐ Analytical Laboratory QC Report
- ☑ Sub-contracted Laboratory Results
- ☐ Customer Specific Data Sheets, Reports, & Documentation
- ☐ Customer Database Entries
- ☑ Chain of Custody
- ☑ Electronic Data Deliverable (EDD) Sent Separately

Reviewed By: DataBase Administrator Date: 6/6/2012

Certificate of Laboratory Analysis

Order # J12050374

Site: FGD Purge Eff **Sample #: 2012011479**

Collection Date: 21-May-12 10:30 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
INORGANIC IONS BY IC								
Bromide	**110**	mg/L		5	50	EPA 300.0	25-May-12 18:11	JAHERMA
Chloride	**7300**	mg/L		100	1000	EPA 300.0	25-May-12 18:11	JAHERMA
MERCURY (COLD VAPOR) IN WATER								
Mercury (Hg)	**286**	ug/L		5	100	EPA 245.1	24-May-12 14:00	AGIBBS
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**225**	mg/L		0.5	10	EPA 200.7	29-May-12 13:32	DJSULL1
Manganese (Mn)	**7.65**	mg/L		0.05	10	EPA 200.7	29-May-12 13:32	DJSULL1
DISSOLVED METALS BY ICP-MS								
Selenium (Se)	**143**	ug/L		10	10	EPA 200.8	24-May-12 12:05	KRICHAR
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**162**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
Chromium (Cr)	**223**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
Copper (Cu)	**108**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
Nickel (Ni)	**189**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
Selenium (Se)	**5500**	ug/L		100	100	EPA 200.8	29-May-12 11:51	MHH7131
Silver (Ag)	**< 20**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
Zinc (Zn)	**185**	ug/L		20	20	EPA 200.8	29-May-12 11:51	MHH7131
SELENIUM SPECIATION								
Vendor Parameter	**Complete**				1	V_AS&C		
TOTAL DISSOLVED SOLIDS								
Vendor Parameter	**Complete**				1	V_PACE		

Site: EQ TANK EFF. **Sample #: 2012011480**

Collection Date: 21-May-12 10:35 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY (COLD VAPOR) IN WATER								
Mercury (Hg)	**210**	ug/L		2.5	50	EPA 245.1	24-May-12 14:02	AGIBBS
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**206**	mg/L		0.5	10	EPA 200.7	29-May-12 13:51	DJSULL1
Manganese (Mn)	**7.14**	mg/L		0.05	10	EPA 200.7	29-May-12 13:51	DJSULL1

Certificate of Laboratory Analysis

Order # J12050374

Site: EQ TANK EFF. **Sample #: 2012011480**

Collection Date: 21-May-12 10:35 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
DISSOLVED METALS BY ICP-MS								
Selenium (Se)	**111**	ug/L		10	10	EPA 200.8	24-May-12 12:08	KRICHAR
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**140**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131
Chromium (Cr)	**209**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131
Copper (Cu)	**101**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131
Nickel (Ni)	**183**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131
Selenium (Se)	**5250**	ug/L		100	100	EPA 200.8	29-May-12 11:54	MHH7131
Silver (Ag)	**< 20**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131
Zinc (Zn)	**180**	ug/L		20	20	EPA 200.8	29-May-12 11:54	MHH7131

Site: BIOREACTOR 1 INF **Sample #: 2012011481**

Collection Date: 21-May-12 10:40 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**183**	mg/L		0.5	10	EPA 200.7	29-May-12 12:44	DJSULL1
Manganese (Mn)	**1.56**	mg/L		0.05	10	EPA 200.7	29-May-12 12:44	DJSULL1
DISSOLVED METALS BY ICP-MS								
Selenium (Se)	**119**	ug/L		10	10	EPA 200.8	24-May-12 12:11	KRICHAR
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Chromium (Cr)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Copper (Cu)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Nickel (Ni)	**15.4**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Selenium (Se)	**121**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Silver (Ag)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
Zinc (Zn)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 11:57	MHH7131
SELENIUM SPECIATION								
Vendor Parameter	**Complete**				1	V_AS&C		

Certificate of Laboratory Analysis

This report shall not be reproduced, except in full.

Order # J12050374

Site: biOREACTOR 1 INF HG BLK — **Sample #: 2012011482**
Collection Date: 21-May-12 — Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		

Site: BIOREACTOR 2 INF. — **Sample #: 2012011483**
Collection Date: 21-May-12 10:45 AM — Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**183**	mg/L		0.5	10	EPA 200.7	29-May-12 12:48	DJSULL1
Manganese (Mn)	**3.19**	mg/L		0.05	10	EPA 200.7	29-May-12 12:48	DJSULL1
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Chromium (Cr)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Copper (Cu)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Nickel (Ni)	**11.3**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Selenium (Se)	**10.7**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Silver (Ag)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131
Zinc (Zn)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:01	MHH7131

Site: BIOREACTOR 2 INF. HG BLANK — **Sample #: 2012011484**
Collection Date: 21-May-12 — Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		

Site: BIOREACTOR 2 EFF. — **Sample #: 2012011485**
Collection Date: 21-May-12 10:50 AM — Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		
MERCURY (COLD VAPOR) IN WATER								
Mercury (Hg)	**< 1**	ug/L		1	20	EPA 245.1	24-May-12 14:05	AGIBBS

Certificate of Laboratory Analysis

This report shall not be reproduced, except in full.

Order # J12050374

Site: BIOREACTOR 2 EFF. **Sample #: 2012011485**

Collection Date: 21-May-12 10:50 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**182**	mg/L		0.5	10	EPA 200.7	29-May-12 12:52	DJSULL1
Manganese (Mn)	**4.92**	mg/L		0.05	10	EPA 200.7	29-May-12 12:52	DJSULL1
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Chromium (Cr)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Copper (Cu)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Nickel (Ni)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Selenium (Se)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Silver (Ag)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
Zinc (Zn)	**< 10**	ug/L		10	10	EPA 200.8	29-May-12 12:04	MHH7131
SELENIUM SPECIATION								
Vendor Parameter	**Complete**				1	V_AS&C		

Site: BIOREACTOR 2 EFF. HG BLANK **Sample #: 2012011486**

Collection Date: 21-May-12 10:50 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
MERCURY 1631								
Vendor Parameter	**Complete**				1	V_BRAND		

Site: FILTER BLANK **Sample #: 2012011487**

Collection Date: 21-May-12 Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
DISSOLVED METALS BY ICP-MS								
Selenium (Se)	**1.05**	ug/L		1	1	EPA 200.8	24-May-12 11:50	KRICHAR

Site: METALS TRIP BLANK **Sample #: 2012011488**

Collection Date: 21-May-12 10:55 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
TOTAL RECOVERABLE METALS BY ICP								
Boron (B)	**< 0.05**	mg/L		0.05	1	EPA 200.7	29-May-12 12:32	DJSULL1
Manganese (Mn)	**< 0.005**	mg/L		0.005	1	EPA 200.7	29-May-12 12:32	DJSULL1

Certificate of Laboratory Analysis

Order # J12050374

Site: METALS TRIP BLANK **Sample #: 2012011488**

Collection Date: 21-May-12 10:55 AM Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
TOTAL RECOVERABLE METALS BY ICP-MS								
Arsenic (As)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Chromium (Cr)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Copper (Cu)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Nickel (Ni)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Selenium (Se)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Silver (Ag)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
Zinc (Zn)	**< 1**	ug/L		1	1	EPA 200.8	29-May-12 11:48	MHH7131
SELENIUM SPECIATION								
Vendor Parameter	**Complete**				1	V_AS&C		

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

May 29, 2012

Program Manager
Duke Energy

,

RE: Project: J12050374
Pace Project No.: 92119209

Dear Program Manager:
Enclosed are the analytical results for sample(s) received by the laboratory on May 23, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kevin Herring

kevin.herring@pacelabs.com
Project Manager

Enclosures

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: J12050374
Pace Project No.: 92119209

Asheville Certification IDs
2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712
North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
Virginia Certification #: 00072
West Virginia Certification #: 356
Virgina/VELAP Certification #: 460147

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: J12050374
Pace Project No.: 92119209

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92119209001	**2012011479**	SM 2540C	LMD	1	PASI-A

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
5800 Kinsey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: J12050374
Pace Project No.: 92119209

Sample: 2012011479 **Lab ID: 92119209001** Collected: 05/21/12 10:30 Received: 05/23/12 14:22 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids	Analytical Method: SM 2540C							
Total Dissolved Solids	**19200**	mg/L	500	1		05/24/12 00:11		

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: J12050374
Pace Project No.: 92119209

QC Batch: WET/20966
QC Batch Method: SM 2540C
Analysis Method: SM 2540C
Analysis Description: 2540C Total Dissolved Solids
Associated Lab Samples: 92119209001

METHOD BLANK: 768193
Matrix: Water
Associated Lab Samples: 92119209001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	ND	25.0	05/24/12 00:08	

LABORATORY CONTROL SAMPLE: 768194

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	250	254	102	80-120	

SAMPLE DUPLICATE: 768195

Parameter	Units	92119112004 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	78.0	82.0	5	

SAMPLE DUPLICATE: 768196

Parameter	Units	92119168002 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	179	174	3	

QUALIFIERS

Project: J12050374
Pace Project No.: 92119209

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville

Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J12050374
Pace Project No.: 92119209

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92119209001	**2012011479**	SM 2540C	WET/20966		

June 5, 2012

Duke Energy
ATTN: Jay Perkins
Scientific Support-Laboratory
13339 Hagers Ferry Road
Huntersville NC 28078
jcperkins@duke-energy.com
labcustomer@duke-energy.com

RE: Project DUK-HV1201 Client Project: J12050374

Dear Mr. Perkins,

On May 25, 2012, Brooks Rand Labs (BRL) received three (3) wastewater samples and three (3) corresponding field blanks. Samples were logged-in for total mercury (THg) analysis. All samples were received, prepared, analyzed, and stored according to BRL SOPs and EPA methodology.

The results were blank-corrected as described in the calculations section of the applicable SOP(s) and may be evaluated using adjusted reporting limits to account for sample aliquot size. Please refer to the *Sample Results* page for sample-specific detection limits and other details.

Aside from concentration qualifiers, all data was reported without qualification and all associated quality control sample results met the acceptance criteria.

BRL, an accredited laboratory, certifies the reported results of all analyses for which BRL is NELAP accredited meet all NELAP requirements. For more details, see the *Report Information* page of the report.

Please feel free to contact me if you have any questions regarding this report.

Sincerely,

Tiffany Stilwater
Project Manager
tiffany@brooksrand.com

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Report Information

Laboratory Accreditation

BRL is accredited by the *National Environmental Laboratory Accreditation Program* (NELAP) through the State of Florida Department of Health, Bureau of Laboratories (E87982) and is certified to perform many environmental analyses. BRL is also certified by many other states to perform environmental analyses. For a current list of our accreditations /certifications, please visit our website at <http://www.brooksrand.com/default.asp?contentID=586>. Results reported relate only to the samples listed in the report.

Field Quality Control Samples

Please be notified that certain EPA methods require the collection of field quality control samples of an appropriate type and frequency; failure to do so is considered a deviation from some methods and for compliance purposes should only be done with the approval of regulatory authorities. Please see the specific EPA methods for details regarding required field quality control samples.

Common Abbreviations

BLK	method blank	**MS**	matrix spike
BRL	Brooks Rand Labs	**MSD**	matrix spike duplicate
BS	laboratory fortified blank	**ND**	non-detect
CAL	calibration standard	**NR**	non-reportable
CCV	continuing calibration verification	**PS**	post preparation spike
COC	chain of custody record	**REC**	percent recovery
CRM	certified reference material	**RPD**	relative percent difference
D	dissolved fraction	**RSD**	relative standard deviation
DUP	duplicate	**SCV**	secondary calibration verification
ICV	initial calibration verification	**SOP**	standard operating procedure
MDL	method detection limit	**SRM**	standard reference material
MRL	method reporting limit	**T**	total recoverable fraction

Definition of Data Qualifiers

(Effective 9/23/09)

B Detected by the instrument, the result is > the MDL but ≤ the MRL. Result is reported and considered an estimate.
E An estimated value due to the presence of interferences. A full explanation is presented in the narrative.
H Holding time and/or preservation requirements not met. Result is estimated.
J Estimated value. A full explanation is presented in the narrative.
J-M Duplicate precision (RPD) for associated QC sample was not within acceptance criteria. Result is estimated.
J-N Spike recovery for associated QC sample was not within acceptance criteria. Result is estimated.
M Duplicate precision (RPD) was not within acceptance criteria. Result is estimated.
N Spike recovery was not within acceptance criteria. Result is estimated.
R Rejected, unusable value. A full explanation is presented in the narrative.
U Result is ≤ the MDL or client requested reporting limit (CRRL). Result reported as the MDL or CRRL.
X Result is not BLK-corrected and is within 10x the absolute value of the highest detectable BLK in the batch. Result is estimated.

These qualifiers are based on those previously utilized by Brooks Rand, Ltd., those found in the EPA SOW ILM03.0, Exhibit B, Section III, pg. B-18, and the USEPA Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses; USEPA; July 2002. These supersede all previous qualifiers ever employed by BRL.

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Sample Information

Sample	Lab ID	Report Matrix	Type	Sampled	Received
BioReactor 1 Inf	1221048-01	Influent	Sample	05/21/2012	05/25/2012
Hg Blk BioReactor 1 Inf	1221048-02	DIW	Field Blank	05/21/2012	05/25/2012
BioReactor 2 Inf	1221048-03	Influent	QC Sample	05/21/2012	05/25/2012
Hg Blk BioReactor 2 Inf	1221048-04	DIW	Field Blank	05/21/2012	05/25/2012
BioReactor 2 Eff	1221048-05	Effluent	Sample	05/21/2012	05/25/2012
Hg Blk BioReactor 2 Eff	1221048-06	DIW	Field Blank	05/21/2012	05/25/2012

Batch Summary

Analyte	Lab Matrix	Method	Prepared	Analyzed	Batch	Sequence
Hg	Water	EPA 1631	05/25/2012	06/01/2012	B120931	1200405

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Sample Results

Sample	Analyte	Report Matrix	Fraction	Result	Qualifier	MDL	MRL	Unit	Batch	Sequence
BioReactor 1 Inf										
1221048-01	Hg	Influent	T	197		3.16	8.42	ng/L	B120931	1200405
BioReactor 2 Eff										
1221048-05	Hg	Effluent	T	11.5		0.64	1.69	ng/L	B120931	1200405
BioReactor 2 Inf										
1221048-03	Hg	Influent	T	63.2		3.16	8.42	ng/L	B120931	1200405
Hg Blk BioReactor 1 Inf										
1221048-02	Hg	DIW	T	0.15	U	0.15	0.40	ng/L	B120931	1200405
Hg Blk BioReactor 2 Eff										
1221048-06	Hg	DIW	T	0.15	U	0.15	0.40	ng/L	B120931	1200405
Hg Blk BioReactor 2 Inf										
1221048-04	Hg	DIW	T	0.15	U	0.15	0.40	ng/L	B120931	1200405

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Accuracy & Precision Summary

Batch: B120931
Lab Matrix: Water
Method: EPA 1631

Sample	Analyte	Native	Spike	Result	Units	REC & Limits	RPD & Limits
B120931-SRM1	**Certified Reference Material (1221029, NIST 1641d 1000x dilution)**						
	Hg		15.68	15.84	ng/L	101% 85-115	
B120931-MS1	**Matrix Spike (1221048-03)**						
	Hg	63.15	315.8	414.6	ng/L	111% 71-125	
B120931-MSD1	**Matrix Spike Duplicate (1221048-03)**						
	Hg	63.15	315.8	417.3	ng/L	112% 71-125	0.7% 24

Method Blanks & Reporting Limits

Batch: B120931
Matrix: Water
Method: EPA 1631
Analyte: Hg

Sample	Result	Units
B120931-BLK1	0.09	ng/L
B120931-BLK2	0.13	ng/L
B120931-BLK3	0.14	ng/L
B120931-BLK4	0.17	ng/L

Average: 0.13 **Standard Deviation:** 0.03 **MDL:** 0.15
Limit: 0.50 **Limit:** 0.10 **MRL:** 0.40

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Instrument Calibration

Sequence: 1200405
Instrument: THG-05
Date: 06/01/2012
Analyte: Hg

Total Mercury and Mercury Speciation by CVAFS
Method: EPA 1631

Lab ID	True Value	Result	Units	REC & Limits	
1200405-IBL1		6.18	pg of Hg		
1200405-IBL2		5.75	pg of Hg		
1200405-IBL3		4.67	pg of Hg		
1200405-IBL4		4.82	pg of Hg		
1200405-CAL1	25.00	25.80	pg of Hg	103%	
1200405-CAL2	100.0	99.12	pg of Hg	99%	
1200405-CAL3	500.0	492.4	pg of Hg	98%	
1200405-CAL4	2500	2515	pg of Hg	101%	
1200405-CAL5	10000	9874	pg of Hg	99%	
1200405-ICV1	1568	1584	pg of Hg	101%	85-115
1200405-CCV1	500.0	503.0	pg of Hg	101%	77-123
1200405-CCB1		15.0	pg of Hg		
1200405-ICB1		15.90	pg of Hg		
1200405-CCV2	500.0	513.7	pg of Hg	103%	77-123
1200405-CCV3	500.0	517.6	pg of Hg	104%	77-123
1200405-CCV4	500.0	519.1	pg of Hg	104%	77-123

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Sample Containers

Lab ID: 1221048-01
Sample: BioReactor 1 Inf
Report Matrix: Influent
Sample Type: Sample
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Lab ID: 1221048-02
Sample: Hg Blk BioReactor 1 Inf
Report Matrix: DIW
Sample Type: Field Blank
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Lab ID: 1221048-03
Sample: BioReactor 2 Inf
Report Matrix: Influent
Sample Type: QC Sample
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Lab ID: 1221048-04
Sample: Hg Blk BioReactor 2 Inf
Report Matrix: DIW
Sample Type: Field Blank
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Lab ID: 1221048-05
Sample: BioReactor 2 Eff
Report Matrix: Effluent
Sample Type: Sample
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Lab ID: 1221048-06
Sample: Hg Blk BioReactor 2 Eff
Report Matrix: DIW
Sample Type: Field Blank
Collected: 05/21/2012
Received: 05/25/2012

Des	Container	Size	Lot	Preservation	P-Lot	pH	Ship. Cont.
A	Bottle FLPE Hg-T	500 mL	71628390 10	none	n/a		Cooler

Project ID: DUK-HV1201
PM: Tiffany Stilwater

Client PM: Jay Perkins
Client PO: 141391

Shipping Containers

Cooler

Received: May 25, 2012 9:15
Tracking No: 4726 7967 1503 via FedEx
Coolant Type: None
Temperature: ambient

Description: Cooler
Damaged in transit? No
Returned to client? No

Custody seals present? No
Custody seals intact? No
COC present? Yes

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM

1221048

Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd
Huntersville, N. C. 28078
(704) 875-5245
Fax: (704) 875-4349

Analytical Laboratory Use Only

LIMS # J12D0371A | Sample Class ASHBAS | Samples Originating From NC SC
Logged By | Date & Time 5/22/12 1341 | SAMPLE PROGRAM Water Ground NPDES Drinking Water UST RCRA Waste
Cooler Temp (C) 6.9

[19]Page 1 of 2
DISTRIBUTION
ORIGINAL to LAB,
COPY to CLIENT

[1]Project Name: Belews Creek - FGD Alternative Fuels Test Burn		[2]Phone No:
[2] Client: Melonie Martin, Wayne Chapman, Tom Johnson, Bill Kennedy		[4]Fax No:
[5]Business Unit:	[6]Process:	Mail Code:
[8]Oper. Unit:	[9]Res. Type:	[10]Resp. Center:

AS&C PO#133241

PACE PO #146146

Brooks Rand PO#141391

Customer to complete appropriate columns to right

appropriate non-shaded areas.

[15]Preserv.: 1=HCL 3=HNO_3 =None

LAB USE ONLY [11]Lab ID	Se Speciation Bottle ID	[13]Sample Description or ID	Sampling conducted: 2nd and 4th Monday Date	Time	Signature	[17]Comp.	[18]Grab	[16]Analyses Required: TDS	Hg - 245.1	Metals*	Se, soluble	Hg 1631 (sample 2nd week only)	Cl, Br (IC)	Se, speciation - vendor to AS&C (important to place filled bottle back into both baggies)
20120114479		FGD Purge Eff	5/21	10:30				1	1	1	1			1
20120114480		EQ Tank Eff.	5/21	10:35					1	1	1			
20120114481		BioReactor 1 Inf	5/21	10:40						1	1	1		1
20120114482		Hg Blk BioReactor 1 Inf										1		
20120114483		BioReactor 2 Inf	5/21	10:45						1		1		
20120114484		Hg Blk BioReactor 2 Inf										1		
20120114485		BioReactor 2 Eff	5/21	10:50					1	1		1		1
20120114486		Hg Blk BioReactor 2 Eff	5/21	10:50								1		
20120114487		Filter Blk	5/21								1			
20120114488		Metals Trip Blk	5/21	10:55						1				1
					Use the Bioreactor 2 Inf or Eff sample as the MS/MSD									

Customer to sign & date below - fill out from left to right.

1) Relinquished By	Date/Time 5/21/12 11:00	2) Accepted By Courier	Date/Time 5/21/12
3) Relinquished By	Date/Time	4) Accepted By	Date/Time 5/22/12 0930
5) Relinquished By	Date/Time 5/24/12 1300	6) Accepted By	Date/Time 5/25/12 0915
7) Relinquished By	Date/Time	8) Accepted By:	Date/Time
9) Seal Locked By	Date/Time 5/24/12 1300	10) Seal/Lock Opened By	Date/Time
11) Seal/Locked By	Date/Time	12) Seal/Lock Opened By	Date/Time

Comments: * Metals=As, Ag, B, Cu, Cr, Ni, Se, Zn, Cl, Br, Mn (TRM/ICP) Cl, Br = IC

Customer, IMPORTANT! Please indicate desired turnaround.

[22]Requested Turnaround
14 Days _____
*7 Days _____
*48 Hr _____
*Other _____
* Add. Cost Will Apply
5-31-12

APPLIED SPECIATION AND CONSULTING, LLC

18804 Northcreek Parkway Bothell, WA, 98011
Tel: (425) 483-3300 Fax: (425) 483-9818
www.appliedspeciation.com

June 1, 2012

Jay Perkins
Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd.
Huntersville, NC 28078
(704) 875-5245

Project: Belews Creek – FGD Alternative Fuels Test Burn (LIMS # J12050374)

Dear Mr. Perkins,

Attached is the report associated with four (4) aqueous samples submitted for selenium speciation analysis on May 24, 2012. The samples were received in a sealed cooler at -0.5°C on May 25, 2012. Selenium speciation analysis was performed via ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS). Any issues associated with the analysis are addressed in the following report.

If you have any questions, please feel free to contact me at your convenience.

Sincerely,

Russell Gerads
Vice President
Applied Speciation and Consulting, LLC

Applied Speciation and Consulting, LLC

Report prepared for:

Jay Perkins
Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd.
Huntersville, NC 28078

Project: Belews Creek – FGD Alternative Fuels Test Burn (LIMS # J12050374)

June 1, 2012

1. Sample Reception

Four (4) aqueous samples in 125mL HDPE bottles (provided by Applied Speciation and Consulting) were submitted for selenium speciation analysis on May 24, 2012. The samples were received on May 25, 2012 in a sealed container at -0.5°C.

The samples were received in a laminar flow clean hood, void of trace metals contamination and ultra-violet radiation, and was designated a discrete sample identifier. An aliquot of each sample was filtered (0.45µm) and each filtrate was stored in a secure, monitored cryofreezer (maintained at a temperature of -80^{o}C) until selenium speciation analysis could be performed via ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS).

2. Sample Preparation

All sample preparation is performed in laminar flow clean hoods known to be free from trace metals contamination. All applied water for dilutions and sample preservatives are monitored for contamination to account for any biases associated with the sample results.

Selenium Speciation Analysis by IC-ICP-CRC-MS Prior to analysis, an aliquot of each sample was filtered with a syringe filter (0.45µm) and injected directly into a sealed autosampler vial. No further sample preparation was performed as any chemical alteration of a sample may shift the equilibrium of the system, resulting in changes in speciation ratios.

3. Sample Analysis

All sample analysis is preceded by a minimum of a five-point calibration curve spanning the entire concentration range of interest. Calibration curves are performed at the beginning of each analytical day. All calibration curves, associated with each species of interest, are

standardized by linear regression resulting in a response factor. All sample results are **instrument blank corrected** to account for any operational biases associated with the analytical platform.

Prior to sample analysis, all calibration curves are verified using second source standards which are identified as initial calibration verification standards (ICV).

Ongoing instrument performance is identified by the analysis of continuing calibration verification standards (CCV) and continuing calibration blanks (CCB) at a minimal interval of every ten analytical runs.

Selenium Speciation Analysis by IC-ICP-CRC-MS Each sample for selenium speciation analysis was analyzed by ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS) on May 30, 2012. An aliquot of each sample is injected onto an anion exchange column and mobilized by a basic (pH > 7) gradient. The eluting selenium species are then introduced into a radio frequency (RF) plasma where energy-transfer processes cause desolvation, atomization, and ionization. The ions are extracted from the plasma through a differentially-pumped vacuum interface and travel through a pressurized chamber (CRC) containing a reaction gas which preferentially reacts with interfering ions of the same target mass to charge ratios (m/z). A solid-state detector detects ions transmitted through the mass analyzer and the resulting current is processed by a data handling system.

Retention times for each eluting species are compared to known standards for species identification.

4. Analytical Issues

The overall analyses went well and no significant analytical issues were encountered. All quality control parameters associated with this sample were within acceptance limits.

The estimated method detection limits (eMDLs) for selenite, selenate, and selenocyanate are generated from replicate analyses of the lowest standard in the calibration curve. Not all selenium species are present in preparation blanks; therefore, eMDL calculations based on preparation blanks are artificially biased low.

The eMDL for methylseleninic acid and selenomethionine is calculated from the average eMDL of selenite, selenate, and selenocyanate. The calibration does not contain methylseleninic acid or selenomethionine due to impurities in these standards which would bias the results for other selenium species.

If you have any questions or concerns regarding this report, please feel free to contact me.

Sincerely,

Russell Gerads
Vice President
Applied Speciation and Consulting, LLC

Selenium Speciation Results for Duke Energy
Project Name: Belews Creek - FGD Alternative Fuels Test Burn
Contact: Jay Perkins
LIMS #J12050374

Date: June 1, 2012
Report Generated by: Russell Gerads
Applied Speciation and Consulting, LLC

Sample Results

Sample ID	Se(IV)	Se(VI)	SeCN	MeSe(IV)	SeMe	Unknown Se Species (n)
FGD Purge Eff	27.9	53.2	ND (<0.43)	1.91	ND (<0.51)	0 (0)
BioReactor 1 Inf	34.5	47.7	ND (<0.11)	0.78	ND (<0.13)	0.42 (1)
BioReactor 2 Eff	0.29	ND (<0.15)	ND (<0.11)	ND (<0.13)	ND (<0.13)	0 (0)
Metals Trip Blk	ND (<0.025)	ND (<0.029)	ND (<0.021)	ND (<0.025)	ND (<0.025)	0 (0)

All results reflect the applied dilution and are reported in µg/L
ND = Not detected at the applied dilution
SeCN = Selenocyanate
MeSe(IV) = Methylseleninic acid
SeMe = Selenomethionine
Unknown Se Species = Total concentration of all unknown Se species observed by IC-ICP-MS
n = number of unknown Se species observed

Selenium Speciation Results for Duke Energy
Project Name: Belews Creek - FGD Alternative Fuels Test Burn
Contact: Jay Perkins
LIMS #J12050374

Date: June 1, 2012
Report Generated by: Russell Gerads
Applied Speciation and Consulting, LLC

Quality Control Summary - Preparation Blank Summary

Analyte (µg/L)	PBW1	PBW2	PBW3	PBW4	Mean	StdDev	eMDL*	eMDL 10x	eMDL 50x	eMDL 200x
Se(IV)	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.025	0.13	0.51
Se(VI)	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.029	0.15	0.59
SeCN	0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.021	0.11	0.43
MeSe(IV)	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.025	0.13	0.51
SeMe	0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.025	0.13	0.51

eMDL = Estimated Method Detection Limit
*Please see narrative regarding eMDL calculations

Quality Control Summary - Certified Reference Materials

Analyte (µg/L)	CRM	True Value	Result	Recovery
Se(IV)	LCS	9.57	9.08	94.9
Se(VI)	LCS	9.48	9.03	95.3
SeCN	LCS	8.92	8.09	90.7
MeSe(IV)	LCS	6.47	5.39	83.3
SeMe	LCS	9.32	8.25	88.6

Selenium Speciation Results for Duke Energy
Project Name: Belews Creek - FGD Alternative Fuels Test Burn
Contact: Jay Perkins
LIMS #J12050374

Date: June 1, 2012
Report Generated by: Russell Gerads
Applied Speciation and Consulting, LLC

Quality Control Summary - Matrix Duplicates

Analyte (µg/L)	Sample ID	Rep 1	Rep 2	Mean	RPD
Se(IV)	Batch QC	162.1	159.2	160.7	1.8
Se(VI)	Batch QC	57.57	56.45	57.01	2.0
SeCN	Batch QC	ND (<0.43)	ND (<0.43)	NC	NC
MeSe(IV)	Batch QC	0.85	0.99	0.92	15.5
SeMe	Batch QC	ND (<0.51)	ND (<0.51)	NC	NC

ND = Not detected at the applied dilution
NC = Value was not calculated due to one or more concentrations below the eMDL

Quality Control Summary - Matrix Spike/ Matrix Spike Duplicate

Analyte (µg/L)	Sample ID	Spike Conc	MS Result	Recovery	Spike Conc	MSD Result	Recovery	RPD
Se(IV)	Batch QC	1112	1414	112.7	1112	1402	111.7	0.8
Se(VI)	Batch QC	1009	1066	100.0	1009	1065	99.9	0.1
SeCN	Batch QC	915.0	776.4	84.8	915.0	780.1	85.3	0.5

2 set

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM

Page 2 of 7

Page 1 of 2

DISTRIBUTION
ORIGINAL to LAB,
COPY to CLIENT

Duke Energy

Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd
Huntersville, N. C. 28078
(704) 875-5245
Fax: (704) 875-4349

1)Project Name	Belews Creek - FGD Alternative Fuels Test Burn	2)Phone No:	
2) Client:	Melonie Martin, Wayne Chapman, Tom Johnson, Bill Kennedy	4)Fax No:	
5)Business Unit:	6)Process:	Mail Code:	
8)Oper. Unit:	9)Res. Type:	10)Resp. Center:	

Analytical Laboratory Use Only

LIMS # J12050374 | Sample Class: ASHBAS | Samples Originating From: NC ___ SC ___

Logged By: LH | Date & Time: 5/22/12 1341

SAMPLE PROGRAM: Ground Water ___ NPDES ___ Drinking Water ___ UST ___ RCRA Waste ___

Cooler Temp (C): 6.9

AS&C
PO#133241

[redacted]

PACE
PO #146146

Brooks Rand
PO#141391

Customer to ... appropriate non-shaded areas.

Sampling conducted: 2nd and 4th Monday

Preserv.: 1=HCL 2=H2SO4 3=HNO3 4=None

Analyses Required

Lab ID (LAB USE ONLY)	Se Speciation Bottle ID	Sample Description or ID	Date	Time	Signature	Comp.	Grab	TDS	Hg - 245.1	Metals*	Se, soluble	Hg 1631 (Duke Lab) (sample 2nd week only)	Cl, Br (IC)	Se, speciation - vendor to AS&C (Important to place filled bottle back into both baggies)
Preserv.								4	3,4	3,4	3,4			4
2012011479		FGD Purge Eff	5/21	10:30	[signature]			1	1	1	1			1
2012011480		EQ Tank Eff.	5/21	10:35	[signature]				1	1	1			
2012011481		BioReactor 1 Inf	5/21	10:40	[signature]					1	1	1		1
2012011482		Hg Blk BioReactor 1 Inf										1		
2012011483		BioReactor 2 Inf	5/21	10:45	[signature]					1		1		
2012011484		Hg Blk BioReactor 2 Inf										1		
2012011485		BioReactor 2 Eff	5/21	10:50	[signature]				1	1		1		1
2012011486		Hg Blk BioReactor 2 Eff	5/21	10:50								1		
2012011487		Filter Blk	5/21								1			
2012011488		Metals Trip Blk	5/21	10:55	[signature]					1				1

Use the Bioreactor 2 Inf or Eff sample as the MS/MSD

Customer to sign & date below ... from left to right

1) Relinquished By: [signature]	Date/Time: 5/21/12 11:00	2) Accepted By: Courier	Date/Time: 5/21/12
3) Relinquished By:	Date/Time:	4) Accepted By: L Davis	Date/Time: 5/22/12 0930
5) Relinquished By: L Davis	Date/Time: 5/24/12 1300	6) Accepted By: Nancy Collins Temp: -0.5°C	Date/Time: 5/24/12 9:15
7) Relinquished By:	Date/Time:	8) Accepted By:	Date/Time:
9) Seal/Locked By: L Davis	Date/Time: 5/24/12 1300	10) Seal/Lock Opened By:	Date/Time:
11) Seal/Locked By:	Date/Time: TRM/ICP	12) Seal/Lock Opened By:	Date/Time:

Comments: * Metals=As, Ag, B, Cu, Cr, Ni, Se, Zn, Cl, Br, Mn   Cl, Br = IC

Customer, IMPORTANT! Please indicate desired turnaround.

22 Requested Turnaround
14 Days ______
*7 Days ______
-48 Hr ______
*Other ______
* Add. Cost Will Apply
5-31-12

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM

Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd
Huntersville, N. C. 28078
(704) 875-5245
Fax: (704) 875-4349

Analytical Laboratory Use Only

LIMS # J1205037A | Sample Class ASHBAS | Samples Originating From | NC ___ SC ___
Logged By LA | Date & Time 5/22/12 1341 | SAMPLE PROGRAM Water ___ Ground NPDES Drinking Water UST ___ RCRA Waste ___
AS&C PO#133241 | 6.9 Cooler Temp (C)
PACE PO #146146 | Brooks Rand PO#141391

[19]Page 1 of 2

DISTRIBUTION
ORIGINAL to LAB,
COPY to CLIENT

Customer must Complete

1)Project Name	Belews Creek - FGD Alternative Fuels Test Burn	2)Phone No:
2) Client:	Melonie Martin, Wayne Chapman, Tom Johnson, Bill Kennedy	4)Fax No:
5)Business Unit:	6)Process:	Mail Code:
8)Oper. Unit:	9)Res. Type:	10)Resp. Center:

Customer to complete appropriate non-shaded areas.

[15]Preserv.: 1=HCL 2=H_2SO_4 3=HNO_3 4=None

Customer to complete appropriate columns to right

Sampling conducted: 2nd and 4th Monday

LAB USE ONLY [11]Lab ID	Se Speciation Bottle ID	[13]Sample Description or ID	Date	Time	Signature	[17]Comp.	[18]Grab	TDS - Pace	Hg - 245.1	Metals*	Se, soluble	Hg 1631 (Duke Lab) (sample 2nd week only)	Cl, Br (IC)	Se, speciation - vendor to AS&C (Important to place filled bottle back into both baggies)
		[16]Analyses Required						4	3,4	3,4	3,4			4
2012011479		FGD Purge Eff	5/21	10:30				1	1	1	1			1
2012011480		EQ Tank Eff.	5/21	10:35					1	1	1			
2012011481		BioReactor 1 Inf	5/21	10:40						1	1	1		1
2012011482		Hg Blk BioReactor 1 Inf										1		
2012011483		BioReactor 2 Inf	5/21	10:45						1		1		
2012011484		Hg Blk BioReactor 2 Inf										1		
2012011485		BioReactor 2 Eff	5/21	10:50					1	1		1		1
2012011486		Hg Blk BioReactor 2 Eff	5/21	10:50								1		
2012011487		Filter Blk	5/21								1			
2012011488		Metals Trip Blk	5/21	10:55						1				1

Use the Bioreactor 2 Inf or Eff sample as the MS/MSD

Customer to sign & date below - fill out from left to right.

1) Relinquished By	Date/Time 5/21/12 11:00	2) Accepted By Courier	Date/Time 5/21/12
3) Relinquished By	Date/Time 5/23/12 1250	4) Accepted By	Date/Time 5/22/12 0930
5)Relinquished By	Date/Time 5/24/12 1300	6)Accepted By	Date/Time 5/23/12 1250
7)Relinquished By	Date/Time	8)Accepted By:	Date/Time
9)Seal/Locked By	Date/Time 5/24/12 1300	10) Seal/Lock Opened By	Date/Time
11)Seal/Locked By	Date/Time (TRM/ICP)	12)Seal/Lock Opened By	Date/Time

Comments: * Metals=As, Ag, B, Cu, Cr, Ni, Se, Zn, Cl, Br, Mn Cl, Br = IC

Customer, IMPORTANT! Please indicate desired turnaround.

[22]Requested Turnaround
14 Days ___
*7 Days ___
*48 Hr ___
*Other ___
* Add. Cost Will Apply

5-31-12